

25-NOV-2008
2008-3727

(Booklet)

Group	4	Herbicide
-------	---	-----------

IPCO®
MCPA ESTER 500
LIQUID HERBICIDE

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE: MCPA 500 g/L
(Present as Ester)

REGISTRATION NO: 20307
PEST CONTROL PRODUCTS ACT

NET CONTENTS **10 litres**

WARNING

POISON

Interprovincial Cooperative Limited, P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9

®T.M. Reg'd.
RC 603-1002

LABEL INDEX IPCO MCPA Ester 500 Liquid Herbicide

Wheat, Barley, Rye	GO TO SECTION 1	Precautions	GO TO SECTION 6
Oats and Mixed Grain	GO TO SECTION 2	First Aid	GO TO SECTION 7
Flax (Excluding low Linolenic acid varieties)	GO TO SECTION 3	Toxicological Information	GO TO SECTION 8
Tank Mixes	GO TO SECTION 4	Rinsing and Disposal	GO TO SECTION 9
Mixing & Application Instructions	GO TO SECTION 5		

SECTION 1

Crop:	WHEAT, BARLEY, RYE		
Treatment Stage:	For ground or aerial application. Treat from the 4th leaf to just before the flag leaf (shot blade) stage. NOTE: Do not treat cereals underseeded to legumes.		
Susceptible Weeds:	Burdock, Cocklebur, Mustards (except Dog Mustard), Ragweed, Flixweed*, Kochia, Lamb's-quarters, Russian Pigweed, Shepherd's Purse, Stinkweed. *Flixweed susceptible only at seedling stage. Use rates for harder-to-kill weeds to kill fall germinated flixweed in the spring.		
Rates to Use on Susceptible Weeds:	Small seedlings, good growing conditions:	700 mL/ha	
	Weeds in bud, dry or cool weather or heavy infestation:	1.1 L/ha	
	NOTE: Rates over 1.1 L/ha may cause crop injury.		
Harder-to-Kill Weeds:	Annual Sow Thistle, Bluebur, Blue Lettuce*, Canada Thistle*, Peppergrass, Curled Dock, Dog Mustard, Goosefoot, Hempnettle (suppression only), Redroot Pigweed, Russian Thistle*, Perennial Sow Thistle*, Leafy Spurge*. *Top growth control only.		
Rates to Use on Harder-to-Kill Weeds:	Small seedlings growing rapidly, good growing conditions:	1.25 L/ha	
	Weeds in bud, dry or cool conditions or heavy infestation:	1.75 L/ha	
	NOTE: Rates over 1.1 L/ha may cause crop injury.		

GO TO SECTION 5

SECTION 2

Crop:	OATS AND MIXED GRAIN		
Treatment Stage:	For ground or aerial application. Spray from 1 – 4 leaf stage.		
Susceptible Weeds:	Burdock, Cocklebur, Mustards (except Dog Mustard), Ragweed, Flixweed*, Kochia, Lamb's-quarters, Russian Pigweed, Shepherd's Purse, Stinkweed. *Flixweed susceptible only at seedling stage. Use rates for harder-to-kill weeds to kill fall germinated flixweed in the spring.		
Rates to Use on Susceptible Weeds:	Small seedlings, good growing conditions:	700 mL/ha	
	Weeds in bud, dry or cool weather or heavy infestation:	1.1 L/ha	
Harder-to-Kill Weeds:	Annual Sow Thistle, Bluebur, Blue Lettuce*, Canada Thistle*, Peppergrass, Curled Dock, Dog Mustard, Goosefoot, Hempnettle (Suppression only), Redroot Pigweed, Russian Thistle*, Perennial Sow Thistle*, Leafy Spurge*. *Top growth control only.		
Rates to Use on Harder-to-Kill Weeds:	Small seedlings, growing rapidly, good growing conditions:	1.25 L/ha	
	Weeds in bud, dry or cool weather or heavy infestation:	1.75 L/ha	
	NOTE: Rates over 1.1 L/ha may cause crop injury.		

GO TO SECTION 5

SECTION 3

Crop:	FLAX (Excluding low-linolenic acid varieties)
Treatment Stage:	For ground application ONLY. Spray after plant reaches 5 cm in height and before the bud stage.
Susceptible Weeds:	Burdock, Cocklebur, Mustards (except Dog Mustard), Ragweed, Flixweed*, Kochia, Lamb's-quarters, Russian Pigweed, Shepherd's Purse, Stinkweed. *Flixweed susceptible only at seedling stage. Use rates for harder-to-kill weeds to kill fall germinated flixweed in the spring.
Rates to Use on Susceptible Weeds:	Small seedlings, good growing conditions: 700 mL/ha Weeds in bud, dry or cool weather or heavy infestation: 1.1 L/ha NOTE: Rates over 850 mL/ha may cause crop injury.

GO TO SECTION 5

SECTION 4

Tank Mixes with IPCO MCPA Ester 500 Liquid Herbicide	Use tank mixes only when they are registered and recommended. Read and follow the directions, warnings, precautions and grazing limitations on both products used in a tank mix. Ensure all components of tank-mix are registered for aerial application.
Tank Mixes:	IPCO MCPA Ester 500 Liquid Herbicide + Avenge® 200-C
Crop:	Spring and Winter Wheat (See Avenge 200C label for specific variety limitations), and barley.
Treatment Stage:	Apply at the 3 – 5 leaf stage of wild oats.
Susceptible Weeds:	Wild Oats and Broadleaf weeds – susceptible to MCPA.
Rates to Use:	IPCO MCPA Ester 500 Liquid Herbicide 1.1 L/ha + Avenge 200-C + 3.5 – 4.25 L/ha Apply this mixture in 100 Litres of water per hectare.

GO TO SECTION 5

SECTION 5

MIXING AND APPLICATION INSTRUCTIONS:

1. Fill tank 1/2 full with water. Start agitation.
2. Add IPCO MCPA Ester 500 Liquid Herbicide. When Avenge is used, add after IPCO MCPA Ester 500 Liquid Herbicide when tank is 3/4 full.
3. Complete filling of tank with water while maintaining continuous agitation.
4. Use 100-240 litres of water per hectare for ground application unless otherwise specified on tank-mix product labels.
5. Do not exceed 275 kPa pressure for ground application.

Use Precautions for

- | | |
|--|---|
| Aerial Application (to cereal crops): | <ol style="list-style-type: none">1. Use special care in aerial application where damage from drift can be greater.2. Avoid direct applications to any body of water. Do not contaminate water through spray drift or by cleaning of equipment or disposal of wastes.3. A minimum volume of 30 L per hectare of spray solution should be used. Use boom pressure of 235 kPa or less. Avoid placing nozzles where spray will enter wing tip vortices.4. Do not apply this product directly to, or otherwise permit it to come into direct contact with desirable crops or other desirable broadleaf plants or non-target species and do not permit spray mists to drift onto them.5. Coarse sprays are less likely to drift. Use only nozzles or nozzle configuration which minimize the production of fine spray drops. Do not angle nozzles forward into the airstream and do not increase spray volume by increasing nozzle pressure. When spraying avoid combinations of pressures and nozzle type that will result in |
|--|---|

- fine particles (mist) which are more likely to drift. A spray thickening agent or drift retardant may be used with this product to aid in reducing spray drift.
6. Do not use human flaggers.
 7. Avoid spray drift: Apply only when there is little or no hazard from spray drift. Small quantities of the spray, which may not be visible, may seriously injure susceptible crops and damage sensitive non-target habitat. A method must be used to detect air movement, lapse conditions, or temperature inversions (stable air) such as the use of balloons or continuous smoke column at or near the spray site or a smoke generator on the spray equipment. If the smoke develops into layers or indicates a potential for hazardous spray drift, do not spray. Do not spray in winds exceeding 8 km per hour.
 8. Buffer zones: Appropriate buffer zones should be established between treatment areas and aquatic systems and treatment areas and significant wildlife habitat.

GO TO SECTION 6

SECTION 6

PRECAUTIONS:

1. KEEP OUT OF THE REACH OF CHILDREN.
2. Avoid contact with eyes, skin and clothing. May cause skin irritation.
3. Do not breathe spray mist or vapors. Avoid spray or vapor drifts onto susceptible plants such as grapes, tomatoes, tobacco, sugar beets, sunflowers, beans, turnips, cauliflower, cabbage, alfalfa, clover, peas, potatoes, ornamental trees, shrubs or flowers, fruit trees, lawns, most vegetable crops or other desirable vegetation.
4. Do not spray when there is any danger of wind or on exceptionally hot days over 27°C.
5. Drift from spray may be reduced by using high volume sprays under low pressure, coarse sprays, and drop nozzles where possible.
6. Do not contaminate any body of water. Avoid contamination of foods.
7. Do not use in a greenhouse.
8. Keep in original container during storage.
9. Do not store near seeds, feeds, fertilizers or pesticides used on crops sensitive to this product.
10. Keep away from fire or open flame and other sources of heat.
11. Clean spray equipment thoroughly after use and rinse with clean water. Do not use spray equipment to apply other pesticides to crops sensitive to this product. Do not re-use empty containers.
12. Allow 7 days between application of product and grazing/cutting for hay.
13. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

ENVIRONMENTAL PRECAUTIONS: This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, IPCO MCPA Ester 500 Liquid Herbicide is a Group 4 herbicide. Any weed population may contain or develop plants naturally resistant to IPCO MCPA Ester 500 Liquid Herbicide and other Group 4 herbicides. The resistant biotypes may dominate the weed population if these herbicides are used repeatedly in the same field. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay herbicide resistance: Where possible, rotate the use of IPCO MCPA Ester 500 Liquid Herbicide or other Group 4 herbicides with different herbicide groups that control the same weeds in a field. Use tank mixtures with herbicides from a different group when such use is permitted. Herbicide use should be based on an

IPM program that includes scouting, historical information related to herbicide use and crop rotation, and considers tillage (or other mechanical), cultural, biological and other chemical control practices. Monitor treated weed populations for resistance development. Prevent movement of resistant weed seeds to other fields by cleaning harvesting and tillage equipment and planting clean seed. Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or integrated weed-management recommendations for specific crops and weed biotypes. For further information or to report suspected resistance, contact Interprovincial Cooperative Ltd. at 1-204-233-3461.

GO TO SECTION 7

SECTION 7

FIRST AID:

1. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
2. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
3. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
4. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

GO TO SECTION 8

SECTION 8

TOXICOLOGICAL INFORMATION:

No specific antidote. Treatment of any systemic intoxication should be primarily symptomatic and supportive. Contains petroleum distillates. Do not induce vomiting.

GO TO SECTION 9

SECTION 9

DISPOSAL :

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.
If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

(Base label)

Group	4	Herbicide
-------	---	-----------

IPCO®
MCPA ESTER 500
LIQUID HERBICIDE

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE: MCPA 500 g/L
(Present as Ester)

REGISTRATION NO: 20307
PEST CONTROL PRODUCTS ACT

NET CONTENTS **10 litres**

WARNING

POISON

Interprovincial Cooperative Limited, P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9

®T.M. Reg'd.
RC 603-1002

(Back panel)

IPCO MCPA Ester 500 Liquid Herbicide

PRECAUTIONS:

1. KEEP OUT OF THE REACH OF CHILDREN.
2. Avoid contact with eyes, skin and clothing. May cause skin irritation.
3. Do not breathe spray mist or vapors. Avoid spray or vapor drifts onto susceptible plants such as grapes, tomatoes, tobacco, sugar beets, sunflowers, beans, turnips, cauliflower, cabbage, alfalfa, clover, peas, potatoes, ornamental trees, shrubs or flowers, fruit trees, lawns, most vegetable crops or other desirable vegetation.
4. Do not spray when there is any danger of wind or on exceptionally hot days over 27°C.
5. Drift from spray may be reduced by using high volume sprays under low pressure, coarse sprays, and drop nozzles where possible.
6. Do not contaminate any body of water. Avoid contamination of foods.
7. Do not use in a greenhouse.
8. Keep in original container during storage.
9. Do not store near seeds, feeds, fertilizers or pesticides used on crops sensitive to this product.
10. Keep away from fire or open flame and other sources of heat.
11. Clean spray equipment thoroughly after use and rinse with clean water. Do not use spray equipment to apply other pesticides to crops sensitive to this product. Do not re-use empty containers.
12. Allow 7 days between application of product and grazing/cutting for hay.
13. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

DISPOSAL:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treatment of any systemic intoxication should be primarily symptomatic and supportive. Contains petroleum distillates. Do not induce vomiting.

FIRST AID:

1. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
2. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
3. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
4. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.