

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 10200000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name WILDCAT® HERBICIDE
MSDS Number 10200000828

Distributed by:
 Viterra Inc.
 2625 Victoria Ave.
 Regina, SK S4T 7T9
 Canada

Manufactured by:
 Bayer CropScience Inc.
 #200, 160 Quarry Park Blvd, SE
 Calgary, AB T2C 3G3
 Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-866-569-4411

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Warning! Keep out of the reach of children. Causes eye damage. Causes eye irritation. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Do not breathe vapours or spray mist.

Physical State liquid
Odor aromatic
Appearance yellowish
Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects
Eye Severe eye irritation. Do not get in eyes.
Skin Severe skin irritation. Do not get on skin or clothing.
Ingestion Harmful if swallowed. Do not take internally.
Inhalation Avoid inhalation of vapour or mist.

Chronic or Delayed Long-Term This product or its components may have target organ effects. This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.

Potential Environmental Effect Toxic to fish and aquatic invertebrates. Very toxic to aquatic organisms.

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Fenoxaprop-P-ethyl	71283-80-2	11.53
Mefenpyr-diethyl	135590-91-9	3.39
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	
Ethoxy (7) tridecanol	78330-21-9	
2-Methylpropan-1-ol	78-83-1	
Tetrapropylene benzene sulfonate, calcium salt	11117-11-6	
Naphthalene	91-20-3	

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to physician	
Signs and Symptoms	Local: Irritation Systemic: Gastrointestinal disturbance
Hazards	Risk of pneumonia.
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

SECTION 5. FIRE FIGHTING MEASURES

Flash point	108 °C / 226 °F
Autoignition temperature	no data available
Lower Flammability Limit	no data available
Upper Flammability Limit	no data available
Explosiveness	Not explosive
Fire and Explosion Hazards	In the event of fire the following may be released: Carbon monoxide (CO) nitrogen oxides (NOx) Sulphur oxides Hydrogen chloride (HCl)
Suitable extinguishing media	Water spray, Alcohol-resistant foam, Carbon dioxide (CO2), Dry powder
Fire Fighting Instructions	Evacuate personnel to safe areas. Avoid contact with spilled product or contaminated surfaces. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Keep unauthorized people away. Evacuate and isolate spill area. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.
Methods for cleaning up	Dike area to prevent runoff. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing environmental regulations.
Additional advice	Do not allow to enter soil, waterways or waste water canal. Do not allow product to contact vegetation.

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

SECTION 7. HANDLING AND STORAGE

Handling procedures Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Keep away from heat and sources of ignition.

Storing Procedures Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Protect from freezing.

Keep away from food, drink and animal feedingstuffs.

Work/Hygienic Procedures Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Min/Max Storage Temperatures Recommended minimum transport/storage temperature: 0 °C / 32 °F

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.
 Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

Eye/Face Protection Tightly fitting safety goggles

Hand protection Chemical resistant nitrile rubber gloves

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Fenoxaprop-P-ethyl	71283-80-2	OES BCS*	TWA	2.6 mg/m3
2-Methylpropan-1-ol	78-83-1	OEL (QUE)	TWA	50 ppm

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

Naphthalene	91-20-3	CAD AB OEL	TWA	50 ppm
		CAD BC OEL	TWA	50 ppm
		CAD ON OEL	TWAEV	50 ppm
		OEL (QUE)	TWA	10 ppm
		OEL (QUE)	STEL	15 ppm
		CAD AB OEL	TWA	10 ppm
		CAD AB OEL	STEL	15 ppm
		CAD BC OEL	TWA	10 ppm
		CAD BC OEL	STEL	15 ppm
		CAD ON OEL	TWAEV	10 ppm
		CAD ON OEL	STEV	15 ppm
		OES BCS*	TWA	10 ppm
		OEL (QUE)	TWA	10 ppm
		OEL (QUE)	STEL	15 ppm
		CAD SK OEL	8 HR ACL	10 ppm
CAD SK OEL	15 MIN ACL	15 ppm		

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	yellowish
Physical State	liquid
Odor	aromatic
pH	6.7 (1 %) emulsion in water
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.03 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Water solubility	emulsifiable
Minimum Ignition Energy	no data available
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available

Material Safety Data Sheet
WILDCAT® HERBICIDE

 MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	freezing Heat, flames and sparks.
Incompatibility	no data available
Hazardous Decomposition Products	no data available
Hazardous reactions	No hazardous reactions known.
Chemical Stability	Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed in the formulated product. The non-acute information pertains to the technical-grade active ingredient, fenoxaprop-p ethyl, as well as. the herbicide safener, mefenpyr-diethyl.

Acute oral toxicity	rat: LD50: 3,254 mg/kg
Acute dermal toxicity	rat: LD50: > 5,000 mg/kg
Acute inhalation toxicity	rat: LC50: > 5.4 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.
	rat: LC50: > 21.6 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Skin irritation	rabbit: Severe skin irritation.
Eye irritation	rabbit: Severe eye irritation.
Sensitisation	guinea pig: Non-sensitizing. OECD Test Guideline 406, Buehler test
Chronic toxicity	Fenoxaprop-p-ethyl caused liver and/or adrenal effects in long-term dietary studies in rats, mice and dogs. Mefenpyr-diethyl affected the liver and/or red blood cells in chronic dietary studies in rats and dogs.

Assessment Carcinogenicity

Fenoxaprop-p-ethyl caused liver and adrenal gland tumors at the highest dose tested in mice. However,

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

there was no evidence of carcinogenicity in a combined chronic/carcinogenicity study in rats treated with fenoxaprop-p-ethyl.

Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Naphthalene 91-20-3 Group A4

NTP

Naphthalene 91-20-3

IARC

Naphthalene 91-20-3 Overall evaluation: 2B

OSHA

None.

Reproductive toxicity

REPRODUCTION

Fenoxaprop-p-ethyl was not a reproductive toxicant in a two-generation study in rats.

Mefenpyr-diethyl was not a reproductive toxicant at non-maternally toxic dose levels in a two-generation study in rats.

DEVELOPMENTAL TOXICITY

Fenoxaprop-p-ethyl is not a primary developmental toxicant in rats and rabbits. Developmental effects were observed in both species but were considered secondary to maternal toxicity.

Mefenpyr-diethyl was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed in rabbits but were considered secondary to maternal toxicity.

Assessment neurotoxicity

Fenoxaprop-p-ethyl neurotoxicity studies are not required at this time.

Mefenpyr-diethyl neurotoxicity studies are not required at this time.

Mutagenicity

Fenoxaprop-p-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish

Rainbow trout (*Oncorhynchus mykiss*)
 LC50: 1.9 mg/l
 Exposure time: 96 h
 Test conducted with a similar formulation.

Lepomis macrochirus (Bluegill sunfish)
 LC50: 1.9 mg/l

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

Exposure time: 96 h

Toxicity to aquatic plants Pseudokirchneriella subcapitata
 EC50: 1.47 mg/l
 Exposure time: 72 h
 Test conducted with a similar formulation.

Acute Toxicity to Aquatic Invertebrates Water flea (Daphnia magna)
 EC50: 4.2 mg/l
 Exposure time: 48 h
 Test conducted with a similar formulation.

Environmental precautions Drift or runoff from treated areas may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose in accordance with all local, state/provincial and federal regulations. Follow advice on product label and/or leaflet.

Container Disposal Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Follow advice on product label and/or leaflet.

SECTION 14. TRANSPORT INFORMATION

TDG
 Not Regulated for Road or Rail

49CFR
 UN-Number **3082**
 Class 9
 Packaging group III
 Marine pollutant Marine Pollutant
 Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (FENOXAPROP-P-ETHYL, NAPHTHALENE)
 RQ Reportable Quantity is reached with 1,356 lb of product.

IMDG
 UN-Number **3082**
 Class 9
 Packaging group III
 Marine pollutant Marine Pollutant
 Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
 MSDS Version 4.0
 Revision Date: 04/26/2011

(FENOXAPROP-P-ETHYL SOLUTION)

IATA

UN-Number **3082**
 Class **9**
 Packaging group **III**
 Description of the goods **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENOXAPROP-P-ETHYL SOLUTION)**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15. REGULATORY INFORMATION

US Federal Regulations

TSCA list

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5
 Ethoxy (7) tridecanol 78330-21-9
 2-Methylpropan-1-ol 78-83-1
 Naphthalene 91-20-3

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Naphthalene 91-20-3

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Naphthalene 91-20-3 0.1%

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Naphthalene 91-20-3

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

2-Methylpropan-1-ol 78-83-1 CA, CT, IL, MN, RI
 Naphthalene 91-20-3 CA, CT, IL, MN, NJ, RI

Canadian Regulations

Canadian Domestic Substance List

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5
 Ethoxy (7) tridecanol 78330-21-9
 2-Methylpropan-1-ol 78-83-1
 Tetrapropylene benzene sulfonate, calcium salt 11117-11-6
 Naphthalene 91-20-3

Environmental



Material Safety Data Sheet
WILDCAT® HERBICIDE

MSDS Number: 102000000828
MSDS Version 4.0
Revision Date: 04/26/2011

CERCLA

2-Methylpropan-1-ol	78-83-1	5,000 lbs
Naphthalene	91-20-3	100 lbs

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
2-Methylpropan-1-ol	78-83-1
Naphthalene	91-20-3

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Reactivity - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 14: Transport Information. Section 16: Other Information.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 04/26/2011

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.